




### TOPGEAR

The war ascends the peak again







WATER BOTTLE CAGE 20.21.22.23.24.25. 26.27.28.29.30.31

DISPLAY RACK





### REAR BIKE CARRIER

WHEECHAIR HAND RIMS, FOOTRESTS & BRAKES







#### UL-901A

Light alloy fitted to chain stay neck For 20",24",26",27",28"

#### UL-902S

High strength steel kickstand. Fitted to chain stay neck

#### UL-911A

Light alloy fltted to chain stay neck For 20",24",26",27",28"

#### UL-913A

Light alloy fltted to chain stay neck Adjustable For 20" to 28"

#### UL-913A-1

Light alloy fltted to chain stay neck Adjustable For 20" to 28"

#### UL-913A-D

Light alloy fitted to chain stay neck Adjustable For 20" to 28" KICKSTAND





#### UL-914A (Alloy) UL-914S (Steel)

Light alloy, fltted to seat and chain stay For 20",24",26",27",28"



UL-915S-1 (Steel) fltted to rear hub spindle Adjustable For 20" to 28"

#### UL-938S(Steel)

Fltted to reart hub spindle. For 20",24",26",27",28"



UL-925A (Alloy) UL-925S (Steel)

Fltted to rear hub spindle For 16",20",24",26",27",28"



#### UL-928S (Steel)

Litted to seat and chain any stay neck For MTB,ATB

#### UL-929A (Alloy) UL-926S (Steel)

Fltted to seat and chain any stay neck For MTB For 20",24",26",27",28"



#### UL-931A (Alloy) UL-931S (Steel)

Adjustable for 20" to 28" Fltted to seat and chain stay neck For MTB ATB 700C

#### UL-932A (Alloy) UL-932S (Steel)

Adjustable for 20" to 28" Fltted to seat hub spindle UL-947A Adjustable kickstand 24"-28"



#### UL-936A

For alloy frame 22.2 New alloy rear kick-stand simply 1-bolt fixation mount on seat/ chain stay

#### UL-934A

For alloy frame 22.2 New alloy rear kick-stand simply 1-bolt fixation mount on seat/ chain stay Quick-adjustable. 24" to 28".



### KICKSTAND



UL-941A Alloy Double kickstand For Trekking Bike, Folding Bike, Electric Bike.



UL-941A-1 Alloy Double kickstand For Trekking Bike, Folding Bike, Electric Bike.



UL-945A Alloy Double kickstand For Trekking Bike, Folding Bike, Electric Bike. (Hiding type spring)

#### UL-945A-1

Alloy Double kickstand For Trekking Bike, Folding Bike, Electric Bike. (Hiding type spring)

### KICKSTAND



#### UL-951A


Alloy Aluminum kick stand multi-function and adjustable made to customer specification.





#### UL-Q1

- 1. It is a combination of quick-release and kick stand.
- 2. It can be used in any bike.
- 3. It has no contact with the frame, so it could completely avoid the print and structure damages of the frame that caused by installing kick stand.





### CARRIER



#### **UL-50A**

TYPE: Carrier for suspension reguler bike. Material: Ajjoy 6061 T6 Bike size: Fits on seat post from 25.4-31.8mm duan

#### UL-50A-1

TYPE: Carrier for suspension reguler bike. Material: Ajjoy 6061 T6 Bike size: Fits on seat post from 25.4-31.8mm duan







UL-50A-3-1

UL-50A-3 Alloy seat post rear rack Dia: 25.4-31.8 mm Fits to seat post Can be adjustable plate

Material: Alloy Max.load: 15kg



#### UL-50A-4

Alloy seat post rear rack Dia: 25.4-31.8 mm Fits to seat post Can be adjustable plate Material: Alloy Max.load: 15kg **UL-91A** 

UL-91A Alloy seat post rear rack with clamp Dia: 25.4-31.8 mm Fits to seat post Can be adjustable plate Material: Alloy Max.load: 15kg

CARRIER

**UL-91A-1** Alloy seat post rear rack Dia: 25.4-31.8 mm Fits to seat post Can be adjustable plate Material: Alloy Max.load: 15kg





11 UL-91A-2 Alloy seat post rear rack with clamp Dia: 25.4-31.8 mm Fits to seat post Can be adjustable plate

> **UL-91A-3** Alloy seat post rear rack Dia: 25.4-31.8 mm Fits to seat post Can be adjustable plate Material: Alloy Max.load: 15kg





#### UL-16A-A(Alloy) UL-16S(Steel)

Wire frame and stays, bed finish For:20",24",26",27",28.



sleep top plate. Easy seat stay or brake-bolt.







Alloy carrir for 26" 700C, 28" bikes.



UL-18A Alloy carrir for 26" 700C, 28" bikes.



**UL-32A** Alloy carrier for 24", 26", 700C, 28" bike.

CARRIER



**UL-44S** Steel tube carrier For Treking bike Fits: 24", 26" ,27", 28".



**UL-65S** 

**UL-47A** TYPE: Rear carrier with top plate. Material: Tubular alloy Bike size: For 26" 700c, 27"

For beach cruiser.

#### UL-16A-1(Alloy) UL-16S-1(Steel) Steel wire frame and stays, bed finish.

For:20",24",26",27",28.





**UL-79A** Material: Tubular alloy





Material: Alloly 6061 Bike size: 26", 700 c, 28".




#### **UL-80A**

TYPE: Rear carrier with top plate. Material: Tubular alloy Bike size: For 26" 700c, 27'



UL-59A Material: Alloly 6061 Bike size: 26", 700c, 28".







UL-73A (Alloy) UL-73S (Steel) Alloy and pp carrier for

Alloy and pp carrier for suspension bike 25.4-31.8 UL-76A Quick carriers



UL-501A





**UL-86A** 



# GUIDANCE BAR



UL-310S-5 Guidance bar Fixed to seat post, for children bike.



UL-310S-1 Guidance bar Fixed to seat post, for children bike.







UL-310A Guidance bar Fixed to seat post, for children bike.

## VATER BOTTLE CAGE



**UL-101A** Riveted type water cage U.S.A.P.A.T.



**UL-107A** Riveted type water cage U.S.A.P.A.T.



**UL-119A** 

clips.

Light alloy welded installation

3-56000 And hardware included.



Alloy bottle cage Avold the influence of front der. clamp TAIWAN P.A.T.



**UL-105A** Riveted type water cage U.S.A.P.A.T.



**UL-108A** bottles(Adjustable table cage) TAIWAN P.A.T.



**UL-113A** Alloy bottle cage Avold the influence of front der. clamp TAIWAN P.A.T.



Riveted type water cage U.S.A.P.A.T.



Mini bottle cage U.S.A.P.A.T.

327

WATER BOTTLE CAGE



UL-125A 6.0mm. Alloy bottle cage. UL-124A 5.0mm. Alloy bottle cage.



UL-135A ABS bottle cage.



Right pull bottle cage Alloy water bottle cage A5052 T2.0



UL-127A Alloy bottle cage



UL-129A Alloy water bottle cage Dia.5.0mm



UL-137A 600cc shelf for plastic pitcher.



UL-140A Alloy water bottle cage A5052 T2.0



UL-138A Alloy bottle cage.



UL-163 Stainless bottle cage

## BOTTLE CAGE BRACKET



UL-116A



UL-116A For ator positioning or water bottles. Aero cage.



UL-130A Fixedon seat post. Bottle cage bracket.only

UL-131A Fixedon on handlebar Bottles cage bracket. only



20197





BOOSTER



UL-201A Schrader valve cap (for cars,motorcycles ,bicycles) \*Aluminum alloy \*cathodic treatment \*Swarovski crystal

29 9 50







UL-202A Presta valve cap \*Aluminum alloy \*cathodic treatment \*Swarovski crystal





UL-211A Brake booster.



UL-208A Chain tensioner, mounts on thechain stay, easy to install

UL-210S CHAIN ADJUSTER (STAINLESS)

## DISPLAY RACK



UL-320A Alloy 2-bikes display rack



UL-322A Alloy 2-bike display rack

i



UL-321A Alloy 2-bike display rack



### DISPLAY RACK



← 26mm →

UL-302-1 Suitable for quick release.

#### UL-302-1L

Display stand suitable for quick-release Fits 29" bikes

#### **UL-302**

Display stand universal stand Universal bock 20" to 28".



#### UL-302-2

25 9 50

Extralarge type Universal display stand. Suitable for quick release. Universal bock 20" to 28".



#### UL-302-3

Extralarge type Universal display stand. Suitable for quick release. Universal bock 20" to 28".










UL-304 Display stand Applied to front and rear wheel Foldable





**UL-301** Display stand








UL-316A Wall-Mounted rack





2 bike display rack.






UL-306S-4 4 bike display rack.

### DISPLAY RACK







UL-313S Bike Repairstand.



### DISPLAY RACK






UL-N2 5 Bike display rack



UL-3198-3



# DISPLAZ RACK





UL-N16 Display rack





#### **UL-N1-3S**

3 Bike display rack. No tools needed for assembly For 12"~20" Bike. DISPLAY RACK






UL-N1-3 3 Bike display rack. No tools needed for assembly For 20"~ 28" Bike









UL-N1-5 5 Bike display rack. No tools needed for assembly.



m		Tr		
		1.1	1	
			-	
			-	
			-	
		-	-	
			-	
			-	
	-		1	
		_		




**UL-N13** 

Double sided aluminum Display rack (flat plate display) Wider gap for quick release lever Longer lever for easy of use.

UL-N17 Display rack

## DISPLAY RACK



### EAR BIKE CARRIER Safe, Easy, Assembly, Lightweight



UL-602S





UL-604S



UL-605S



- Specialist manufacturer
- Custom specs available
- Full range of sizes
- OEM welcomed


**UL-850** 

Hand rim size / 18", 20", 22", 24" Footrest size / 7-1/2", 8-1/2" Size to order

UL-801









### **U-LIX INDUSTRIAL CO., LTD**

NO.1-26 YI HSING SF YI HSING, VIL HSIU SHUI HSIANG CHANGHVA TAIWAN R.O.C. tel: 886-4-7631668.7631669 fax: 886-4-7633458 e-mail:ulix@ms18.hinet.net